


Vento di Saregna fits Rollgen by Bamar - Photo by Andrea Carloni






Extraordinary Work is Done For Extraordinary Clients.

RLG EVO GENNAKER FURLER



10 years of top down
spinnaker furling





RLG EVO

The **RLG EVO** is the new furling system for Gennakers (sails with free flying luff) – an evolution of the patented ROLLGEN system.

Features:

- Provides higher performance in work load and smoothness in movement.
- Weight has been decreased by approximately 60% by using materials such as Ergal aluminum, 17-4PH steel and carbon fiber.
- A tack swivel that is independent from the drum and is now an integral part of the bottom clamp of the ROLLGEN stay.
- The drum and swivel can be used for furling Code-type sails as well.
- Quick release pins which allow fast removal of the ROLLGEN stay and sail from the drum and swivel.
- Option to add the “Luff Control” to complete the system. Featuring a double swivel that matched with the ROLLGEN stay allows you to adjust the tension of the Gennaker luff by pulling on a line from the cockpit.
- The big benefit to this system is that it allows you to significantly shorten the luff when furling the sail, thus placing the luff closer to the ROLLGEN stay. This operation makes furling simpler and faster especially when using deep cut sails with long luffs.
- The “Luff Control” may be fitted on existing ROLLGEN systems as well.
- The **RLG EVO** comes in three sizes which accommodate working loads ranging from 4400 to 11,000 lb.



Which size do you require?

		RLG EVO model		
		08	10	20
Max boat length	ft	26-36	36-50	50-68
Max stay length	ft	49.5	56-66	72-88
Max sail area	sq ft	1076	1615-1829	2475-3014
Drum/halyard swivel max Working Load	lb	4400	6600	11000
Drum diameter	in	4.33	5.75	8.26
Pin diameter	in	5/16	3/8	1/2



FURLER FOR ASYMMETRIC SPINNAKERS

KIT MADE UP BY:

- Drum with shackle
- Halyard swivel with shackle
- Special stay
- Clamp with sail tack fitting

RLG-CODE EVO 08 stay 15mm max 106100080015	15
RLG-CODE EVO 10 stay 17mm max 106100100017	17
stay 3K 20m max 106100103020	20
RLG-CODE EVO 20 stay 22m max 106100200022	22
stay 3K 27m max 106100203027	27



STAY KIT

Code	Model	ø PIN (m.)
911080515	08 - 15 mt	8
911100517	10 - 17 mt	10
911100720	10 3K - 20 mt	10
911200522	20 - 22 mt	12
911200727	20 3K - 27 mt	12



CODE 0 KIT

- Halyard swivel
- Drum

Code	Model
911080003	08
911080001	
911100003	10
911100001	
911200103	20
911200001	



FIXED SNAP SHACKLE (OPTIONAL)

Code	Model	Working load T
A 901130200	08 - 10	1,60
B 901130300	20	3,00



LUFF CONTROL (OPTIONAL)

Code	Model	Working load T
911080100	08	1,60
911100100	10	3,00
911100130	10 3K	3,00
911200100	20	4,50
911200130	20 3K	3,00



ENDLESS LINE KIT (OPTIONAL)

Code	Model	Kit length (m)
901291804		4
901291806		6
ø8	08-10	8
		10
		12
		12
ø10	20	14
		16
		16
		18



CARBON-FIBER DRUM CAGE (OPTIONAL)

Code	Model
911200200	20



N.B.: RLG-CODE drum and halyard swivel may also be used to furl sails with luff integral to the stay, such as Code O or Drifter.