

Looper series

LOOPER is an ultralight one-piece-frame block provided with a Dyneema™ Snap-Loop for fast, easy and safe connections.

Characteristics

- Hard black anodized one-piece-aluminium frame
- Resin sheave on composite fibre bushing and double side ball bearings
- Dyneema™ Snap-Loop

THE ONE PIECE FRAME

The one-piece aluminium extruded body is the strongest and lightest solution, no assembling pin rivets or screws and nuts.

CNC machined, polished, hard black anodized and teflon coated.

THE COMPOSITE FIBRE SHEAVE

The resin (aluminium on larger mod) sheave runs on the main Composite Fibre bearing and on a ground s.steel hub: low friction, high-loads and no lubricant required.

The self-captive side ball bearing reduces the friction and makes disassembling, cleaning and maintenance very easy.

Sheaves are supplied with the s.steel hub, they are available separately.



For a “tied looper” the block without Snap-Loop is also available, the line is not included.

For this version without snap-loop replace **LS** with **LL** in the model number.

E.g.


LS1080 is the 80 mm Looper with Snap-Loop, **LL1080** is the same without Snap-Loop.

SNAP LOOP AND DOG-BONE FASTENINGS

Dyneema™ Snap Loops including “Dog-Bone” aluminium fastenings are available. Dog-Bone fastenings are also available separately so that Loops of any length can be prepared.

SNAP LOOP

These snap loops are obtained with a spliced Dyneema™ line without cover and an aluminium dog-bone.



MODEL	DYNEEMA™ Ø mm	BL kg	SWL* kg	L mm	WEIGHT g
LS2060	4	3000	1000	100	11
LS2070	5	5200	1600	110	20
LS2080	6	6600	2200	125	44
LS2100	8	11000	3500	160	81

DOG-BONE

You can prepare your special snap loop using Antal aluminium dog-bones, separately available.



MODEL	FOR DYNEEMA™ Ø mm	Ø mm	L mm	WEIGHT g
LS2062	4	6.5	30	3
LS2072	5	8.0	37	6
LS2082	6	10.0	46	13
LS2102	8	11.5	55	22
LS2122	10	13.5	67	36
LS2142	12	16.0	79	55



DYNEEMA™ PAD-EYE
Special eye-strap designed for Dyneema™ Loop, aluminium made, hard black anodizing.

For more info see page 184.

Absolute Dreamer, ETF26

Looper

Size 60

SWL – 1000 kg
SHEAVE Ø – 60 mm
LINE Ø – 10 mm



MOD. LS2060

4 mm DYNEEMA™ LOOP
WEIGHT – 11 g



MOD. LS1060

SIMPLE
WEIGHT* – 106 g



MOD. LS1062

DOUBLE
WEIGHT* – 196 g



MOD. LS1061

SIMPLE BECKET
WEIGHT* – 116 g



MOD. LS1063

DOUBLE BECKET
WEIGHT* – 206 g

Size 70

SWL – 1600 kg
SHEAVE Ø – 70 mm
LINE Ø – 12 mm



MOD. LS2070

5 mm DYNEEMA™ LOOP
WEIGHT – 20 g



MOD. LS1070

SIMPLE
WEIGHT* – 155 g



MOD. LS1072

DOUBLE
WEIGHT* – 285 g



MOD. LS1071

SIMPLE BECKET
WEIGHT* – 172 g



MOD. LS1073

DOUBLE BECKET
WEIGHT* – 302 g

Size 80

SWL – 2200 kg
SHEAVE Ø – 80 mm
LINE Ø – 14 mm



MOD. LS2060

6 mm DYNEEMA™ LOOP
WEIGHT – 44 g



MOD. LS1080

SIMPLE
WEIGHT* – 268 g



MOD. LS1082

DOUBLE
WEIGHT* – 490 g



MOD. LS1081

SIMPLE BECKET
WEIGHT* – 290 g



MOD. LS1083

DOUBLE BECKET
WEIGHT* – 510 g

* Dyneema™ loop included



Size 100

SWL – 3500 kg
SHEAVE Ø – 100 mm
LINE Ø – 16 mm



MOD. LS2100

8 mm DYNEEMA™ LOOP
WEIGHT – 81 g



MOD. LS1100

SIMPLE

WEIGHT* – 438 g



MOD. LS1101

SIMPLE BECKET

WEIGHT* – 473 g

Size 120

SWL – 6000 kg
SHEAVE Ø – 120 mm
LINE Ø – 18 mm



MOD. LS2121

10 mm DYNEEMA™ LOOP
WITH COVER
WEIGHT – 150 g



MOD. LS1120

SIMPLE

WEIGHT* – 890 g



MOD. LS1121

SIMPLE BECKET

WEIGHT* – 925 g

Size 140

SWL – 8000 kg
SHEAVE Ø – 140 mm
LINE Ø – 20 mm



MOD. LS2141

12 mm DYNEEMA™ LOOP
WITH COVER
WEIGHT – 219 g



MOD. LS1140

SIMPLE

WEIGHT* – 1129 g



MOD. LS1141

SIMPLE BECKET

WEIGHT* – 1179 g

* Dyneema™ loop included