

# Mini s.steel blocks



MOD. 00301

## MINI BLOCKS 34×6 AND 40×8 SERIES

This series offers extremely high working loads (SWL  $34 \times 6 = 400$  kg,  $40 \times 8 = 500$  kg) while still compact and lightweight. The sheave is made of resin with a double lateral ball-bearing. Cheekplates are made of perfectly polished AISI 316 stainless steel. The high quality materials guarantee a maintenance-free product.

### ↓ SHEAVE

Resin sheave with double self-captive ball bearings.



#### MOD. 03411M

Ø – 34 mm  
LINE – 6 mm  
SWL – 400 kg

#### MOD. 04013M

Ø – 40 mm  
LINE – 8 mm  
SWL – 500 kg

### ↓ CAM CLEAT

All models can be supplied with cam cleat. Just add **C** to the model code when ordering.



#### MOD. 003XXC

SIZE – 34×6  
WEIGHT – (+)42 g  
MAX LOAD – 80 kg

#### MOD. 004XXC

SIZE – 40×8  
WEIGHT – (+)42 g  
MAX LOAD – 80 kg

### ↓ SWIVEL HEAD

All models are available with swivel head, just add **SW** to the model code when ordering.



#### MOD. 003XXSW

SIZE – 34×6  
WEIGHT – (+)15 g  
MAX LOAD – 400 kg

#### MOD. 004XXSW

SIZE – 40×8  
WEIGHT – (+)20 g  
MAX LOAD – 500 kg

Mini650 Proto, Speedy Gonzales – J. Thompson



**34 mm SHEAVE for 6 mm LINE – SAFE WORKING LOAD = 400 kg**



**MOD. 00301**  
**SHACKLE BLOCK**  
 WEIGHT – 44 g  
 SWL – 400 kg



**MOD. 00303**  
**DOUBLE BLOCK**  
 WEIGHT – 82 g  
 SWL – 600 kg



**MOD. 00305**  
**TRIPLE BLOCK**  
 WEIGHT – 94 g  
 SWL – 600 kg



**MOD. 00320**  
**SINGLE U-HEAD**  
 WEIGHT – 40 g  
 SWL – 400 kg



**MOD. 00330**  
**FIDDLE BLOCK**  
 WEIGHT – 65 g  
 SWL – 400 kg



**MOD. 00311**  
**FOOT BLOCK**  
 WEIGHT\* – 36 g • SWL – 400 kg  
 SCREWS – 2×Ø6 mm (included)



**MOD. 00322**  
**SADDLE BLOCK**  
 WEIGHT\* – 46 g • SWL – 400 kg  
 SCREWS – 2×Ø4 mm (included)



**MOD. 00302**  
**SINGLE BECKET**  
 WEIGHT – 52 g  
 SWL – 400 kg



**MOD. 00304**  
**DOUBLE BECKET**  
 WEIGHT – 90 g  
 SWL – 600 kg



**MOD. 00306**  
**TRIPLE BECKET**  
 WEIGHT – 102 g  
 SWL – 600 kg



**MOD. 00321**  
**U-HEAD BECKET**  
 WEIGHT – 43 g  
 SWL – 400 kg



**MOD. 00331**  
**FIDDLE BECKET**  
 WEIGHT – 76 g  
 SWL – 400 kg



**MOD. 00316**  
**STAND-UP**  
 WEIGHT\* – 46 g • SWL – 400 kg  
 SCREWS – 1×Ø6 mm (included)



**MOD. 03413M**  
 This sheave is supplied with models **00323** and **00324**.  
 Ø – 34 mm  
 LINE – 8 mm  
 SWL – 400 kg



**MOD. 00323**  
**UPRIGHT**  
 WEIGHT\* – 55 g • SWL – 400 kg  
 SCREWS – 2×Ø5 mm (included)



**MOD. 00324**  
**OVER THE TOP**  
 WEIGHT\* – 65 g • SWL – 400 kg  
 SCREWS – 2×Ø5 mm (included)

\* Screws **not** included

**↓ MULTIPLE VERTICAL BLOCKS**



The vertical blocks (**MOD. 00323** and **00324** on page 59, **MOD. 00423** and **00424** on page 60) can be grouped in battery, joined by a central pivot. Add the number of elements to the model code, as in the following example: **00323/2**, **00323/3**, **00323/n** respectively for batteries from 2, 3, N° pieces.

**40 mm SHEAVE for 8 mm LINE – SAFE WORKING LOAD = 500 kg**



**MOD. 00401**

**SHACKLE BLOCK**  
WEIGHT – 62 g  
SWL – 500 kg



**MOD. 00402**

**SINGLE BECKET**  
WEIGHT – 73 g  
SWL – 500 kg



**MOD. 00403**

**DOUBLE BLOCK**  
WEIGHT – 115 g  
SWL – 600 kg



**MOD. 00404**

**DOUBLE BECKET**  
WEIGHT – 126 g  
SWL – 600 kg



**MOD. 00405**

**TRIPLE BLOCK**  
WEIGHT – 132 g  
SWL – 600 kg



**MOD. 00406**

**TRIPLE BECKET**  
WEIGHT – 143 g  
SWL – 600 kg



**MOD. 00420**

**SINGLE U-HEAD**  
WEIGHT – 56 g  
SWL – 500 kg



**MOD. 00421**

**U-HEAD BECKET**  
WEIGHT – 60 g  
SWL – 500 kg



**MOD. 00430**

**FIDDLE BLOCK**  
WEIGHT – 91 g  
SWL – 500 kg



**MOD. 00431**

**FIDDLE BECKET**  
WEIGHT – 106 g  
SWL – 500 kg



**MOD. 00411**

**FOOT BLOCK**  
WEIGHT\* – 50 g • SWL – 500 kg  
SCREWS – 2×Ø6 mm (included)



**MOD. 04514M**

This sheave is supplied with models **00423** and **00424**.

Ø – 45 mm  
LINE – 8 mm  
SWL – 600 kg



**MOD. 00416**

**STAND-UP**  
WEIGHT\* – 64 g • SWL – 500 kg  
SCREWS – 1×Ø6 mm (included)



**MOD. 00423**

**UPRIGHT**  
WEIGHT\* – 77 g • SWL – 600 kg  
SCREWS – 2×Ø6 mm (included)



**MOD. 00422**

**SADDLE BLOCK**  
WEIGHT\* – 64 g • SWL – 500 kg  
SCREWS – 2×Ø5 mm (included)



**MOD. 00424**

**OVER THE TOP**  
WEIGHT\* – 91 g • SWL – 600 kg  
SCREWS – 2×Ø6 mm (included)

\* Screws **not** included



Caravela 950

## BLOCKS AND TACKLES

**40 mm SHEAVE for 8 mm LINE – SAFE WORKING LOAD = 500 kg**


The heads of these blocks are closed with a removable screw for an easy connection with a spliced line. Four models: single, single-becket, fiddle and fiddle-becket,

to assemble the tackles with 2:1, 3:1 and 4:1 power ratios. Lines are **not included**.

### POWER RATIO 2:1

MOD. 00401B

**SINGLE BLOCK**  
WEIGHT – 58 g  
SWL – 500 kg




MOD. 00402B

**SINGLE BECKET**  
WEIGHT – 68 g  
SWL – 500 kg

### POWER RATIO 3:1

MOD. 00402B

**SINGLE BECKET**  
WEIGHT – 68 g  
SWL – 500 kg



MOD. 00430B

**FIDDLE BLOCK**  
WEIGHT – 80 g  
SWL – 500 kg

### POWER RATIO 4:1

MOD. 00430B

**FIDDLE BLOCK**  
WEIGHT – 80 g  
SWL – 500 kg



MOD. 00431B

**FIDDLE BECKET**  
WEIGHT – 90 g  
SWL – 500 kg